AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

- 1. (Currently Amended): A binder resin for a toner comprising a crosslinked resin (C) which is obtained by the reaction of, wherein the binder resin is obtained by reacting a crosslinking agent (A) with a vinyl polymer (B) satisfying the requirements (I) to (III) as described below, to obtain a crosslinked resin (C) which [[and]] contains a gel portion of from 1 to 50%, and mixing the crosslinked resin (C) with a vinyl polymer (D) [[.]]:
- (I) The the vinyl polymer (B) comprises a vinyl polymer (H) and a vinyl polymer (L), and the weight ratio (H)/(L) is from 5/95 to 50/50[[.]];
- (II) The the vinyl polymer (H) has a weight average molecular weight of more than 50,000 and not more than 1,000,000, and the content of the functional group selected from the group consisting of an OH group, a COOH group, an acid anhydride group and an amino group of from 0.1 to 2 mole per 1 kg of the vinyl polymer (H)[[.]];
- (III) The the vinyl polymer (L) has a weight average molecular weight of not less than 4,000 and not more than 50,000, and the content of the functional group selected from the group consisting of an OH group, a COOH group, an acid anhydride group and an amino group of less than 0.7 mole per 1 kg of the vinyl polymer (L).
- 2. (Original) The binder resin for a toner according to claim 1, wherein the weight ratio (C)/(D) of the crosslinked resin (C) to the vinyl polymer (D) is from 20/80 to 80/20.

Attorney's Docket No. 1034232-000040 Application No. 10/554,146

Page 3

3. (Original): The binder resin for a toner according to claim 1, wherein the weight ratio (C)/(D) of the crosslinked resin (C) to the vinyl polymer (D) is from 80/20 to 90/10, and the vinyl polymer (D) is a vinyl polymer (D1) having a weight average molecular weight of not less than 4,000 and not more than 50,000.

- 4. (Original): The binder resin for a toner according to claim 1, wherein the crosslinking agent (A) is a glycidyl group-containing vinyl resin (A1) having the epoxy value of from 0. 005 to 0.1 equivalent/100 g.
- 5. (Currently Amended): The binder resin for a toner according to claim 1, wherein the vinyl polymer (B) and the vinyl polymer (D) are each a styrene acrylic type resin.
- 6. (Original): A toner for electrophotography comprising the binder resin for a toner as described in claim 1.